

References

1. Stassen NA, Bhullar I, Cheng JD, et al. Selective nonoperative management of blunt splenic injury: an Eastern Association for the Surgery of Trauma practice management guideline. *J Trauma Acute Care Surg.* Nov 2012;73(5 Suppl 4):S294-300. doi:10.1097/TA.0b013e3182702afc
2. Coccolini F, Montori G, Catena F, et al. Splenic trauma: WSES classification and guidelines for adult and pediatric patients. *World Journal of Emergency Surgery.* 2017/08/18 2017;12(1):40. doi:10.1186/s13017-017-0151-4
3. Freeman JJ, Yorkgitis BK, Haines K, et al. Vaccination after spleen embolization: A practice management guideline from the Eastern Association for the Surgery of Trauma. *Injury.* Nov 2022;53(11):3569-3574. doi:10.1016/j.injury.2022.08.006
4. Podda M, De Simone B, Ceresoli M, et al. Follow-up strategies for patients with splenic trauma managed non-operatively: the 2022 World Society of Emergency Surgery consensus document. *World J Emerg Surg.* Oct 12 2022;17(1):52. doi:10.1186/s13017-022-00457-5
5. Notrica DM, Eubanks JW, 3rd, Tuggle DW, et al. Nonoperative management of blunt liver and spleen injury in children: Evaluation of the ATOMAC guideline using GRADE. *J Trauma Acute Care Surg.* Oct 2015;79(4):683-93. doi:10.1097/ta.0000000000000808
6. Gates RL, Price M, Cameron DB, et al. Non-operative management of solid organ injuries in children: An American Pediatric Surgical Association Outcomes and Evidence Based Practice Committee systematic review. *J Pediatr Surg.* Aug 2019;54(8):1519-1526. doi:10.1016/j.jpedsurg.2019.01.012
7. Moore EE, Cogbill TH, Jurkovich GJ, Shackford SR, Malangoni MA, Champion HR. Organ Injury Scaling: Spleen and Liver (1994 Revision). *Journal of Trauma and Acute Care Surgery.* 1995;38(3):323-324.
8. Brault-Noble G, Charbit J, Chardon P, et al. Age should be considered in the decision making of prophylactic splenic angioembolization in nonoperative management of blunt splenic trauma: a study of 208 consecutive civilian trauma patients. *J Trauma Acute Care Surg.* Nov 2012;73(5):1213-20. doi:10.1097/TA.0b013e318265ccf0
9. McCray VW, Davis JW, Lemaster D, Parks SN. Observation for nonoperative management of the spleen: how long is long enough? *J Trauma.* Dec 2008;65(6):1354-8. doi:10.1097/TA.0b013e31818e8fde
10. Brillantino A, Iacobellis F, Robustelli U, et al. Non operative management of blunt splenic trauma: a prospective evaluation of a standardized treatment protocol. *Eur J Trauma Emerg Surg.* Oct 2016;42(5):593-598. doi:10.1007/s00068-015-0575-z
11. Chastang L, Bège T, Prudhomme M, et al. Is non-operative management of severe blunt splenic injury safer than embolization or surgery? Results from a French prospective multicenter study. *J Visc Surg.* Apr 2015;152(2):85-91. doi:10.1016/j.jvisc Surg.2015.01.003
12. Bhullar IS, Frykberg ER, Siragusa D, et al. Selective angiographic embolization of blunt splenic traumatic injuries in adults decreases failure rate of nonoperative management. *J Trauma Acute Care Surg.* May 2012;72(5):1127-34. doi:10.1097/TA.0b013e3182569849
13. Dehli T, Skattum J, Christensen B, et al. Treatment of splenic trauma in Norway: a retrospective cohort study. *Scand J Trauma Resusc Emerg Med.* Nov 23 2017;25(1):112. doi:10.1186/s13049-017-0457-y

14. Scarborough JE, Ingraham AM, Liepert AE, Jung HS, O'Rourke AP, Agarwal SK. Nonoperative Management Is as Effective as Immediate Splenectomy for Adult Patients with High-Grade Blunt Splenic Injury. *J Am Coll Surg.* Aug 2016;223(2):249-58. doi:10.1016/j.jamcollsurg.2016.03.043
15. Miller PR, Chang MC, Hoth JJ, et al. Prospective trial of angiography and embolization for all grade III to V blunt splenic injuries: nonoperative management success rate is significantly improved. *J Am Coll Surg.* Apr 2014;218(4):644-8. doi:10.1016/j.jamcollsurg.2014.01.040
16. Skattum J, Naess PA, Eken T, Gaarder C. Refining the role of splenic angiographic embolization in high-grade splenic injuries. *J Trauma Acute Care Surg.* Jan 2013;74(1):100-3; discussion 103-4. doi:10.1097/TA.0b013e31827890b2
17. Velmahos GC, Zacharias N, Emhoff TA, et al. Management of the most severely injured spleen: a multicenter study of the Research Consortium of New England Centers for Trauma (ReCONNECT). *Arch Surg.* May 2010;145(5):456-60. doi:10.1001/archsurg.2010.58
18. Requarth JA, D'Agostino RB, Jr., Miller PR. Nonoperative management of adult blunt splenic injury with and without splenic artery embolotherapy: a meta-analysis. *J Trauma.* Oct 2011;71(4):898-903; discussion 903. doi:10.1097/TA.0b013e318227ea50
19. Peitzman AB, Heil B, Rivera L, et al. Blunt splenic injury in adults: Multi-institutional Study of the Eastern Association for the Surgery of Trauma. *J Trauma.* Aug 2000;49(2):177-87; discussion 187-9. doi:10.1097/00005373-200008000-00002
20. London JA, Parry L, Galante J, Battistella F. Safety of early mobilization of patients with blunt solid organ injuries. *Arch Surg.* Oct 2008;143(10):972-6; discussion 977. doi:10.1001/archsurg.143.10.972
21. Leeper WR, Leeper TJ, Ouellette D, et al. Delayed hemorrhagic complications in the nonoperative management of blunt splenic trauma: early screening leads to a decrease in failure rate. *J Trauma Acute Care Surg.* Jun 2014;76(6):1349-53. doi:10.1097/ta.0000000000000228
22. Alarhayem AQ, Myers JG, Dent D, et al. "Blush at first sight": significance of computed tomographic and angiographic discrepancy in patients with blunt abdominal trauma. *Am J Surg.* Dec 2015;210(6):1104-10; discussion 1110-1. doi:10.1016/j.amjsurg.2015.08.009
23. Bhullar IS, Frykberg ER, Tepas JJ, 3rd, Siragusa D, Loper T, Kerwin AJ. At first blush: absence of computed tomography contrast extravasation in Grade IV or V adult blunt splenic trauma should not preclude angioembolization. *J Trauma Acute Care Surg.* Jan 2013;74(1):105-11; discussion 111-2. doi:10.1097/TA.0b013e3182788cd2
24. Shanmuganathan K, Mirvis SE, Boyd-Kranis R, Takada T, Scalea TM. Nonsurgical management of blunt splenic injury: use of CT criteria to select patients for splenic arteriography and potential endovascular therapy. *Radiology.* Oct 2000;217(1):75-82. doi:10.1148/radiology.217.1.r00oc0875
25. Linnaus ME, Langlais CS, Garcia NM, et al. Failure of nonoperative management of pediatric blunt liver and spleen injuries: A prospective Arizona-Texas-Oklahoma-Memphis-Arkansas Consortium study. *J Trauma Acute Care Surg.* Apr 2017;82(4):672-679. doi:10.1097/ta.0000000000001375

26. Fakhry T, Sabry A, Shawky M. Factors for failure of nonoperative management of blunt hepatosplenic trauma in children. *Annals of Pediatric Surgery*. 2016;12(2):63-67. doi:10.1097/01.XPS.0000482655.98375.6c
27. Notrica DM, Sayrs LW, Bhatia A, et al. The incidence of delayed splenic bleeding in pediatric blunt trauma. *J Pediatr Surg*. Feb 2018;53(2):339-343. doi:10.1016/j.jpedsurg.2017.10.005
28. Cirocchi R, Boselli C, Corsi A, et al. Is non-operative management safe and effective for all splenic blunt trauma? A systematic review. *Crit Care*. Sep 3 2013;17(5):R185. doi:10.1186/cc12868
29. Rowell SE, Biffi WL, Brasel K, et al. Western Trauma Association Critical Decisions in Trauma: Management of adult blunt splenic trauma-2016 updates. *J Trauma Acute Care Surg*. Apr 2017;82(4):787-793. doi:10.1097/ta.0000000000001323
30. Crichton JCI, Naidoo K, Yet B, Brundage SI, Perkins Z. The role of splenic angioembolization as an adjunct to nonoperative management of blunt splenic injuries: A systematic review and meta-analysis. *J Trauma Acute Care Surg*. Nov 2017;83(5):934-943. doi:10.1097/ta.0000000000001649
31. Muroya T, Ogura H, Shimizu K, et al. Delayed formation of splenic pseudoaneurysm following nonoperative management in blunt splenic injury: multi-institutional study in Osaka, Japan. *J Trauma Acute Care Surg*. Sep 2013;75(3):417-20. doi:10.1097/TA.0b013e31829fda77
32. Zarzaur BL, Kozar R, Myers JG, et al. The splenic injury outcomes trial: An American Association for the Surgery of Trauma multi-institutional study. *J Trauma Acute Care Surg*. Sep 2015;79(3):335-42. doi:10.1097/ta.0000000000000782
33. Freitas G, Olufajo OA, Hammouda K, et al. Postdischarge complications following nonoperative management of blunt splenic injury. *Am J Surg*. Apr 2016;211(4):744-749.e1. doi:10.1016/j.amjsurg.2015.11.018
34. Arvieux C, Frandon J, Tidadini F, et al. Effect of Prophylactic Embolization on Patients With Blunt Trauma at High Risk of Splenectomy: A Randomized Clinical Trial. *JAMA Surgery*. 2020;155(12):1102-1111. doi:10.1001/jamasurg.2020.3672
35. Ingram MC, Siddharthan RV, Morris AD, et al. Hepatic and splenic blush on computed tomography in children following blunt abdominal trauma: Is intervention necessary? *J Trauma Acute Care Surg*. Aug 2016;81(2):266-70. doi:10.1097/ta.0000000000001114
36. Bansal S, Karrer FM, Hansen K, Partrick DA. Contrast blush in pediatric blunt splenic trauma does not warrant the routine use of angiography and embolization. *Am J Surg*. Aug 2015;210(2):345-50. doi:10.1016/j.amjsurg.2014.09.028
37. Cloutier DR, Baird TB, Gormley P, McCarten KM, Bussey JG, Luks FI. Pediatric splenic injuries with a contrast blush: successful nonoperative management without angiography and embolization. *J Pediatr Surg*. Jun 2004;39(6):969-71. doi:10.1016/j.jpedsurg.2004.02.030
38. Gross JL, Woll NL, Hanson CA, et al. Embolization for pediatric blunt splenic injury is an alternative to splenectomy when observation fails. *J Trauma Acute Care Surg*. Sep 2013;75(3):421-5. doi:10.1097/TA.0b013e3182995c70

39. Skattum J, Gaarder C, Naess PA. Splenic artery embolisation in children and adolescents-- an 8 year experience. *Injury*. Jan 2014;45(1):160-3. doi:10.1016/j.injury.2012.10.015
40. Frandon J, Rodière M, Arvieux C, et al. Blunt splenic injury: outcomes of proximal versus distal and combined splenic artery embolization. *Diagn Interv Imaging*. Sep 2014;95(9):825-31. doi:10.1016/j.diii.2014.03.009
41. Schnüriger B, Inaba K, Konstantinidis A, Lustenberger T, Chan LS, Demetriades D. Outcomes of proximal versus distal splenic artery embolization after trauma: a systematic review and meta-analysis. *J Trauma*. Jan 2011;70(1):252-60. doi:10.1097/TA.0b013e3181f2a92e
42. Savage SA, Zarzaur BL, Magnotti LJ, et al. The evolution of blunt splenic injury: resolution and progression. *J Trauma*. Apr 2008;64(4):1085-91; discussion 1091-2. doi:10.1097/TA.0b013e31816920f1
43. Morrison CA, Gross BW, Kauffman M, Rittenhouse KJ, Rogers FB. Overview of Nonoperative Blunt Splenic Injury Management with Associated Splenic Artery Pseudoaneurysm. *Am Surg*. Jun 1 2017;83(6):554-558.
44. Weinberg JA, Lockhart ME, Parmar AD, et al. Computed tomography identification of latent pseudoaneurysm after blunt splenic injury: pathology or technology? *J Trauma*. May 2010; 68(5):1112-6. doi:10.1097/TA.0b013e3181d769fc
45. Soffer D, Wiesel O, Schulman CI, Ben Haim M, Klausner JM, Kessler A. Doppler ultrasound for the assessment of conservatively treated blunt splenic injuries: a prospective study. *Eur J Trauma Emerg Surg*. Apr 2011;37(2):197-202. doi:10.1007/s00068-010-0044-7
46. Agrawal GA, Johnson PT, Fishman EK. Splenic artery aneurysms and pseudoaneurysms: clinical distinctions and CT appearances. *AJR Am J Roentgenol*. Apr 2007;188(4):992-9. doi:10.2214/ajr.06.0794
47. Huang IH, Zuckerman DA, Matthews JB. Occlusion of a giant splenic artery pseudoaneurysm with percutaneous thrombin-collagen injection. *J Vasc Surg*. Sep 2004;40(3):574-7. doi:10.1016/j.jvs.2004.06.020
48. Wang E, Inaba K, Byerly S, et al. Safety of early ambulation following blunt abdominal solid organ injury: A prospective observational study. *Am J Surg*. Sep 2017;214(3):402-406. doi:10.1016/j.amjsurg.2017.05.014
49. Teichman A, Scantling D, McCracken B, Eakins J. Early mobilization of patients with non-operative liver and spleen injuries is safe and cost effective. *Eur J Trauma Emerg Surg*. Dec 2018;44(6):883-887. doi:10.1007/s00068-017-0864-9
50. Kittaka H, Yagi Y, Zushi R, Hazui H, Akimoto H. The investigation of posttraumatic pseudoaneurysms in patients treated with nonoperative management for blunt abdominal solid organ injuries. *PLoS One*. 2015;10(3):e0121078. doi:10.1371/journal.pone.0121078
51. St Peter SD, Aguayo P, Juang D, et al. Follow up of prospective validation of an abbreviated bedrest protocol in the management of blunt spleen and liver injury in children. *J Pediatr Surg*. Dec 2013;48(12):2437-41. doi:10.1016/j.jpedsurg.2013.08.018

52. St Peter SD, Sharp SW, Snyder CL, et al. Prospective validation of an abbreviated bedrest protocol in the management of blunt spleen and liver injury in children. *J Pediatr Surg.* Jan 2011;46(1):173-7. doi:10.1016/j.jpedsurg.2010.09.079
53. Stamou KM, Toutouzas KG, Kekis PB, et al. Prospective study of the incidence and risk factors of postsplenectomy thrombosis of the portal, mesenteric, and splenic veins. *Arch Surg.* Jul 2006;141(7):663-9. doi:10.1001/archsurg.141.7.663
54. Lin JN, Chen HJ, Lin MC, et al. Risk of venous thromboembolism in patients with splenic injury and splenectomy. A nationwide cohort study. *Thromb Haemost.* Jan 2016;115(1):176-83. doi:10.1160/th15-05-0381
55. Lee DH, Barmparas G, Fierro N, et al. Splenectomy is associated with a higher risk for venous thromboembolism: A prospective cohort study. *Int J Surg.* Dec 2015;24(Pt A):27-32. doi:10.1016/j.ijvsu.2015.10.011
56. Eberle BM, Schnüriger B, Inaba K, et al. Thromboembolic prophylaxis with low-molecular-weight heparin in patients with blunt solid abdominal organ injuries undergoing nonoperative management: current practice and outcomes. *J Trauma.* Jan 2011;70(1):141-6; discussion 147. doi:10.1097/TA.0b013e3182032f45
57. Rostas JW, Manley J, Gonzalez RP, et al. The safety of low molecular-weight heparin after blunt liver and spleen injuries. *Am J Surg.* Jul 2015;210(1):31-4. doi:10.1016/j.amjsurg.2014.08.023
58. Alejandro KV, Acosta JA, Rodríguez PA. Bleeding manifestations after early use of low-molecular-weight heparins in blunt splenic injuries. *Am Surg.* Nov 2003;69(11):1006-9.
59. Aiolfi A, Inaba K, Strumwasser A, et al. Splenic artery embolization versus splenectomy: Analysis for early in-hospital infectious complications and outcomes. *J Trauma Acute Care Surg.* Sep 2017;83(3):356-360. doi:10.1097/ta.0000000000001550
60. Barmparas G, Lamb AW, Lee D, et al. Postoperative infection risk after splenectomy: A prospective cohort study. *Int J Surg.* May 2015;17:10-4. doi:10.1016/j.ijvsu.2015.03.007
61. Olufajo OA, Rios-Diaz A, Peetz AB, et al. Comparing Readmissions and Infectious Complications of Blunt Splenic Injuries Using a Statewide Database. *Surg Infect (Larchmt).* Apr 2016;17(2):191-7. doi:10.1089/sur.2015.137
62. Public Health Agency of Canada. Canadian Immunization Guide: Part 3 - Vaccination of Specific Populations Government of Canada. 2022. <https://www.canada.ca/en/public-health/services/publications/healthy-living/canadian-immunization-guide-part-3-vaccination-specific-populations/page-7-immunization-persons-with-chronic-diseases.html#p3c6a2>
63. Bonten MJ, Huijts SM, Bolkenbaas M, et al. Polysaccharide conjugate vaccine against pneumococcal pneumonia in adults. *N Engl J Med.* Mar 19 2015;372(12):1114-25. doi:10.1056/NEJMoa1408544
64. Kraicer-Melamed H, O'Donnell S, Quach C. The effectiveness of pneumococcal polysaccharide vaccine 23 (PPV23) in the general population of 50 years of age and older: A systematic review and meta-analysis. *Vaccine.* Mar 18 2016;34(13):1540-1550. doi:10.1016/j.vaccine.2016.02.024

65. Falkenhorst G, Remschmidt C, Harder T, Hummers-Pradier E, Wichmann O, Bogdan C. Effectiveness of the 23-Valent Pneumococcal Polysaccharide Vaccine (PPV23) against Pneumococcal Disease in the Elderly: Systematic Review and Meta-Analysis. *PLoS One*. 2017;12(1):e0169368. doi:10.1371/journal.pone.0169368
66. Shapiro ED, Berg AT, Austrian R, et al. The protective efficacy of polyvalent pneumococcal polysaccharide vaccine. *N Engl J Med*. Nov 21 1991;325(21):1453-60. doi:10.1056/nejm199111213252101
67. Hammitt LL, Bulkow LR, Singleton RJ, et al. Repeat revaccination with 23-valent pneumococcal polysaccharide vaccine among adults aged 55-74 years living in Alaska: no evidence of hyporesponsiveness. *Vaccine*. Mar 9 2011;29(12):2287-95. doi:10.1016/j.vaccine.2011.01.029
68. Musher DM, Manoff SB, McFetridge RD, et al. Antibody persistence ten years after first and second doses of 23-valent pneumococcal polysaccharide vaccine, and immunogenicity and safety of second and third doses in older adults. *Hum Vaccin*. Sep 2011;7(9):919-28. doi:10.4161/hv.7.9.15996
69. Manoff SB, Liss C, Caulfield MJ, et al. Revaccination with a 23-valent pneumococcal polysaccharide vaccine induces elevated and persistent functional antibody responses in adults aged 65 > or = years. *J Infect Dis*. Feb 15 2010;201(4):525-33. doi:10.1086/651131
70. Public Health Agency of Canada. Canadian Immunization Guide: Part 4 - Active Vaccines. Government of Canada. 2022. <https://www.canada.ca/en/public-health/services/publications/healthy-living/canadian-immunization-guide-part-4-active-vaccines/page-16-pneumococcal-vaccine.html>
71. Macneil JR, Cohn AC, Zell ER, et al. Early estimate of the effectiveness of quadrivalent meningococcal conjugate vaccine. *Pediatr Infect Dis J*. Jun 2011;30(6):451-5. doi:10.1097/INF.0b013e31820a8b3c
72. Advisory Committee on Immunization Practices (ACIP). Updated Recommendations for Use of Meningococcal Conjugate Vaccines. Vol. 60. 2011:72-76. <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm6003a3.htm>
73. National Advisory Committee on Immunization (NACI). Update on the Use of Quadrivalent Conjugate Meningococcal Vaccines. Vol. 39. 2013. <https://www.phac-aspc.gc.ca/publicat/ccdr-rmtc/13vol39/acs-dcc-1/assets/pdf/acs-dcc-4-eng.pdf>
74. Keyserling H, Papa T, Koranyi K, et al. Safety, immunogenicity, and immune memory of a novel meningococcal (groups A, C, Y, and W-135) polysaccharide diphtheria toxoid conjugate vaccine (MCV-4) in healthy adolescents. *Arch Pediatr Adolesc Med*. Oct 2005;159(10):907-13. doi:10.1001/archpedi.159.10.907
75. Oliver SE, Moro P, Blain AE. *Haemophilus influenzae*. In: Hall E, Wodi PA, Hamborsky J, Morelli V, Schillie S, eds. *Epidemiology and Prevention of Vaccine-Preventable Diseases*. 14th ed. Public Health Foundation; 2021.
76. Mebert RV, Schnüriger B, Candinas D, Haltmeier T. Follow-Up Imaging in Patients with Blunt Splenic or Hepatic Injury Managed Nonoperatively. *Am Surg*. Feb 1 2018;84(2):208-214.
77. Malloum Boukar K, Moore L, Tardif PA, et al. Value of repeat CT for nonoperative management of patients with blunt liver and spleen injury: a systematic review. *Eur J Trauma Emerg Surg*. Dec 2021;47(6):1753-1761. doi:10.1007/s00068-020-01584-x